

## Permit Under the Environmental Conservation Law (ECL)

## ARTICLE 19: AIR POLLUTION CONTROL - AIR STATE FACILITY PERMIT

## **IDENTIFICATION INFORMATION**

Permit Issued To:Final Gift USA LLC

2 Daniels Way Cranston, RI 02921

Facility: PINE REST PET CEMETERY

757 SENECA CREEK RD WEST SENECA, NY 14224

Authorized Activity By Standard Industrial Classification Code: 7261 - FUNERAL SERVICE AND CREMATORIES

Permit Effective Date: 04/27/2022 Permit Expiration Date: 04/26/2032



## PAGE LOCATION OF CONDITIONS

<b>PAGE</b>	
	FEDERALLY ENFORCEABLE CONDITIONS
	Facility Level
5	1 6 NYCRR 211.2: Visible Emissions Limited
	STATE ONLY ENFORCEABLE CONDITIONS
	Facility Level
8	2 ECL 19-0301: Contaminant List
8	3 6 NYCRR 201-1.4: Malfunctions and Start-up/Shutdown Activities
9	4 6 NYCRR Subpart 201-5: Emission Unit Definition
10	5 6 NYCRR 201-5.2 (c): Renewal deadlines for state facility permits
10	6 6 NYCRR 201-5.3 (c): Compliance Demonstration
11	7 6 NYCRR 211.1: Air pollution prohibited
11	8 6 NYCRR 219-4.4 (a): Compliance Demonstration
11	9 6 NYCRR 219-4.4 (b): Compliance Demonstration
12	10 6 NYCRR 219-4.4 (d): Operating Requirements - Allowed Materials
12	11 6 NYCRR 219-4.4 (e): Compliance Demonstration
13	12 6 NYCRR 219-4.5: Compliance Demonstration
13	13 6 NYCRR 219-4.6 (a): Operator Training and Certification
14	14 6 NYCRR 219-4.7 (a): Compliance Demonstration
14	15 6 NYCRR 219-4.8 (a): Compliance Demonstration
15	16 6 NYCRR 219-4.8 (b): Compliance Demonstration
15	17 6 NYCRR 219-4.9: Compliance Demonstration
	Emission Unit Level
17	18 6 NYCRR Subpart 201-5: Emission Point Definition By Emission Unit
17	19 6 NYCRR Subpart 201-5: Process Definition By Emission Unit
	EU=C-R0001
19	20 6 NYCRR 219-4.3 (a): Compliance Demonstration
20	21 6 NYCRR 219-4.4 (f): Compliance Demonstration
	EU=C-R0002
20	22 6 NYCRR 219-4.3 (b): Compliance Demonstration
21	23 6 NYCRR 219-4.4 (f): Compliance Demonstration
	EU=C-R0003
22	24 6 NYCRR 219-4.3 (b): Compliance Demonstration
22	25. 6 NYCRR 219-4.4 (f): Compliance Demonstration



# FEDERALLY ENFORCEABLE CONDITIONS \*\*\*\* Facility Level \*\*\*\*

## NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are federally enforceable. Permittees may also have other obligations under regulations of general applicability

### Item A: Sealing - 6 NYCRR 200.5

The Commissioner may seal an air contamination source to prevent its operation if compliance with 6 NYCRR Chapter III is not met within the time provided by an order of the Commissioner issued in the case of the violation. Sealing means labeling or tagging a source to notify any person that operation of the source is prohibited, and also includes physical means of preventing the operation of an air contamination source without resulting in destruction of any equipment associated with such source, and includes, but is not limited to, bolting, chaining or wiring shut control panels, apertures or conduits associated with such source.

No person shall operate any air contamination source sealed by the Commissioner in accordance with this section unless a modification has been made which enables such source to comply with all requirements applicable to such modification.

Unless authorized by the Commissioner, no person shall remove or alter any seal affixed to any contamination source in accordance with this section.

## Item B: Acceptable Ambient Air Quality - 6 NYCRR 200.6

Notwithstanding the provisions of 6 NYCRR Chapter III, Subchapter A, no person shall allow or permit any air contamination source to emit air contaminants in quantities which alone or in combination with emissions from other air contamination sources would contravene any applicable ambient air quality standard and/or cause air pollution. In such cases where contravention occurs or may occur, the Commissioner shall specify the degree and/or method of emission control required.

## Item C: Maintenance of Equipment - 6 NYCRR 200.7

Any person who owns or operates an air contamination source which is equipped with an emission control device shall operate such device and keep it in a satisfactory state of maintenance and repair in accordance with ordinary and necessary practices, standards and procedures, inclusive of manufacturer's specifications, required to operate such device effectively.

## **Item D:** Unpermitted Emission Sources - 6 NYCRR 201-1.2

(a) Except as otherwise provided by this Part, construction or operation of a new, modified or existing air contamination source



without a registration or permit issued pursuant to this Part is prohibited.

(b) If an existing facility or emission source was subject to the permitting requirements of this Part at the time of construction or modification, and the owner or operator failed to apply for a permit or registration as described in this Part, the owner or operator must apply for a permit or registration in accordance with the provisions of this Part. The facility or emission source is subject to all regulations that were applicable to it at the time of construction or modification and any subsequent requirements applicable to existing emission sources.

## Item E: Recycling and Salvage - 6 NYCRR 201-1.7

Where practical, any person who owns or operates an air contamination source shall recycle or salvage air contaminants collected in an air cleaning device according to the requirements of 6 NYCRR.

## Item F: Prohibition of Reintroduction of Collected Contaminants to the Air - 6 NYCRR 201-1.8

No person shall unnecessarily remove, handle, or cause to be handled, collected air contaminants from an air cleaning device for recycling, salvage or disposal in a manner that would reintroduce them to the outdoor atmosphere.

## Item G: Proof of Eligibility for Sources Defined as Exempt Activities - 6 NYCRR 201-3.2 (a)

The owner and/or operator of an emission source or unit that is eligible to be exempt, may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations, or law.

## Item H: Proof of Eligibility for Sources Defined as Trivial Activities - 6 NYCRR 201-3.3 (a)

The owner and/or operator of an emission source or unit that is listed as being trivial in 6 NYCRR Part 201 may be required to certify that it operates within the specific criteria described in 6 NYCRR Subpart 201-3. The owner or operator of any such emission source must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility which contains emission sources or units subject to 6 NYCRR Subpart 201-3, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution



control requirements, regulations, or law.

## Item I: Required Emission Tests - 6 NYCRR 202-1.1

An acceptable report of measured emissions shall be submitted, as may be required by the Commissioner, to ascertain compliance or noncompliance with any air pollution code, rule, or regulation. Failure to submit a report acceptable to the Commissioner within the time stated shall be sufficient reason for the Commissioner to suspend or deny an operating permit. Notification and acceptable procedures are specified in 6 NYCRR Subpart 202-1.

## Item J: Open Fires Prohibitions - 6 NYCRR 215.2

Except as allowed by section 215.3 of 6 NYCRR Part 215, no person shall burn, cause, suffer, allow or permit the burning of any materials in an open fire.

### Item K: Permit Exclusion - ECL 19-0305

The issuance of this permit by the Department and the receipt thereof by the Applicant does not and shall not be construed as barring, diminishing, adjudicating or in any way affecting any legal, administrative or equitable rights or claims, actions, suits, causes of action or demands whatsoever that the Department may have against the Applicant for violations based on facts and circumstances alleged to have occurred or existed prior to the effective date of this permit, including, but not limited to, any enforcement action authorized pursuant to the provisions of applicable federal law, the Environmental Conservation Law of the State of New York (ECL) and Chapter III of the Official Compilation of the Codes, Rules and Regulations of the State of New York (NYCRR). The issuance of this permit also shall not in any way affect pending or future enforcement actions under the Clean Air Act brought by the United States or any person.

## Item L: Federally Enforceable Requirements - 40 CFR 70.6 (b)

All terms and conditions in this permit required by the Act or any applicable requirement, including any provisions designed to limit a facility's potential to emit, are enforceable by the Administrator and citizens under the Act. The Department has, in this permit, specifically designated any terms and conditions that are not required under the Act or under any of its applicable requirements as being enforceable under only state regulations.

FEDERAL APPLICABLE REQUIREMENTS The following conditions are federally enforceable.

**Condition 1: Visible Emissions Limited** 

Effective between the dates of 04/27/2022 and 04/26/2032



## Applicable Federal Requirement: 6 NYCRR 211.2

## Item 1.1:

Except as permitted by a specific part of this Subchapter and for open fires for which a restricted burning permit has been issued, no person shall cause or allow any air contamination source to emit any material having an opacity equal to or greater than 20 percent (six minute average) except for one continuous six-minute period per hour of not more than 57 percent opacity.



# STATE ONLY ENFORCEABLE CONDITIONS \*\*\*\* Facility Level \*\*\*\*

#### NOTIFICATION OF GENERAL PERMITTEE OBLIGATIONS

This section contains terms and conditions which are not federally enforceable. Permittees may also have other obligations under regulations of general applicability

## Item A: Emergency Defense - 6 NYCRR 201-1.5

An emergency, as defined in 6 NYCRR subpart 201-2, constitutes an affirmative defense to penalties sought in an enforcement action brought by the department for noncompliance with emissions limitations or permit conditions for all facilities in New York State.

- (a) The affirmative defense of emergency shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
- (1) an emergency occurred and that the facility owner or operator can identify the cause(s) of the emergency;
- (2) the equipment at the facility was being properly operated and maintained;
- (3) during the period of the emergency the facility owner or operator took all reasonable steps to minimize the levels of emissions that exceeded the emission standards, or other requirements in the permit; and
- (4) the facility owner or operator notified the department within two working days after the event occurred. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and any corrective actions taken.
- (b) In any enforcement proceeding, the facility owner or operator seeking to establish the occurrence of an emergency has the burden of proof.
- (c) This provision is in addition to any emergency or malfunction provision contained in any applicable requirement.

# Item B: Public Access to Recordkeeping for Facilities With State Facility Permits - 6 NYCRR 201-1.10 (a)

Where facility owners and/or operators keep records pursuant to compliance with the requirements of 6 NYCRR Subpart 201-5.4, and/or the emission capping requirements of 6 NYCRR Subpart 201-7, the Department will make such records available to the public upon request in accordance with 6 NYCRR Part 616 - Public Access to Records. Facility owners and/or operators must submit the records required to comply with the request within sixty working days of written notification by the Department.

## Item C: General Provisions for State Enforceable Permit Terms and Condition -



### 6 NYCRR Part 201-5

Any person who owns and/or operates stationary sources shall operate and maintain all emission units and any required emission control devices in compliance with all applicable Parts of this Chapter and existing laws, and shall operate the facility in accordance with all criteria, emission limits, terms, conditions, and standards in this permit. Failure of such person to properly operate and maintain the effectiveness of such emission units and emission control devices may be sufficient reason for the Department to revoke or deny a permit.

The owner or operator of the permitted facility must maintain all required records on-site for a period of five years and make them available to representatives of the Department upon request. Department representatives must be granted access to any facility regulated by this Subpart, during normal operating hours, for the purpose of determining compliance with this and any other state and federal air pollution control requirements, regulations or law.

# STATE ONLY APPLICABLE REQUIREMENTS The following conditions are state only enforceable.

**Condition 2:** Contaminant List

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: ECL 19-0301

## Item 2.1:

Emissions of the following contaminants are subject to contaminant specific requirements in this permit(emission limits, control requirements or compliance monitoring conditions).

CAS No: 0NY075-00-0 Name: PARTICULATES

Condition 3: Malfunctions and Start-up/Shutdown Activities

Effective between the dates of 04/27/2022 and 04/26/2032

### **Applicable State Requirement: 6 NYCRR 201-1.4**

### Item 3.1:

- (a) The facility owner or operator shall take all necessary and appropriate actions to prevent the emission of air pollutants that result in contravention of any applicable emission standard during periods of start-up, shutdown, or malfunction.
- (b) The facility owner or operator shall compile and maintain records of all equipment maintenance and start-up/shutdown activities when they are expected to result in an exceedance of any applicable emission standard, and shall submit a report of such activities to the department when required by a permit condition or upon request by the department. Such reports shall state whether an exceedance occurred and if it was unavoidable, include the time,



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

frequency and duration of the exceedance, and an estimate of the emission rates of any air contaminants released. Such records shall be maintained for a period of at least five years and made available for review to department representatives upon request. Facility owners or operators subject to continuous monitoring and quarterly reporting requirements need not submit additional reports of exceedances to the department.

- (c) In the event that air contaminant emissions exceed any applicable emission standard due to a malfunction, the facility owner or operator shall notify the department as soon as possible during normal working hours, but not later than two working days after becoming aware that the malfunction occurred. In addition, the facility owner or operator shall compile and maintain a record of all malfunctions. Such records shall be maintained at the facility for a period of at least five years and must be made available to the department upon request. When requested by the department, the facility owner or operator shall submit a written report to the department describing the malfunction, the corrective action taken, the air contaminants emitted, and the resulting emission rates and/or opacity.
- (d) The department may also require the facility owner or operator to include, in reports described under Subdivisions (b) and (c) of this Section, an estimate of the maximum ground level concentration of each air contaminant emitted and the effect of such emissions.
- (e) A violation of any applicable emission standard resulting from start-up, shutdown, or malfunction conditions at a permitted or registered facility may not be subject to an enforcement action by the department and/or penalty if the department determines, in its sole discretion, that such a violation was unavoidable. The actions and recordkeeping and reporting requirements listed above must be adhered to in such circumstances.

## **Condition 4:** Emission Unit Definition

Effective between the dates of 04/27/2022 and 04/26/2032

### Applicable State Requirement: 6 NYCRR Subpart 201-5

## Item 4.1:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: C-R0001

Emission Unit Description:

Emission Unit CR0001 is a Industrial Equipment & Engineering Co. Power Pak II Pet, Model IE43-PPII-P installed in 2006. The unit is equipped with two continuous temperature recorders, one in each chamber. The gas flow retention time in the secondary chamber is 1.54 seconds. The unit has an incineration capacity of 200 lbs/hr.

Building(s): 01

#### Item 4.2:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: C-R0002 Emission Unit Description:

Emission Unit CR0002 is a Therm-Tec S18-P6-G1. The unit is equipped



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

with two continuous temperature recorders, one in each chamber. The gas flow retention time in the secondary chamber is 1.10 seconds. The unit has an incineration capacity of 300 lbs/hr.

Building(s): 01

## Item 4.3:

The facility is authorized to perform regulated processes under this permit for:

Emission Unit: C-R0003 Emission Unit Description:

Emission Unit CR0003 is a Therm-Tec G30. The unit is equipped with two continuous temperature recorders, one in each chamber. The gas flow retention time in the secondary chamber is 1.45 seconds. The unit has an incineration capacity of 340 lbs/hr.

Building(s): 01

**Condition 5:** Renewal deadlines for state facility permits

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 201-5.2 (c)

### Item 5.1:

The owner or operator of a facility having an issued state facility permit shall submit a complete application at least 180 days, but not more than eighteen months, prior to the date of permit expiration for permit renewal purposes.

**Condition 6: Compliance Demonstration** 

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 201-5.3 (c)

#### Item 6.1:

The Compliance Demonstration activity will be performed for the Facility.

## Item 6.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

Any reports or submissions required by this permit shall be submitted to the Regional Air Pollution Control Engineer (RAPCE) at the following address:

Division of Air Resources
NYS Dept. of Environmental Conservation

Region 9 270 Michigan Ave. Buffalo, NY 14203

Reporting Requirements: ANNUALLY (CALENDAR)



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

Reports due 30 days after the reporting period. The initial report is due 1/30/2023. Subsequent reports are due every 12 calendar month(s).

**Condition 7:** Air pollution prohibited

Effective between the dates of 04/27/2022 and 04/26/2032

## **Applicable State Requirement: 6 NYCRR 211.1**

#### Item 7.1:

No person shall cause or allow emissions of air contaminants to the outdoor atmosphere of such quantity, characteristic or duration which are injurious to human, plant or animal life or to property, or which unreasonably interfere with the comfortable enjoyment of life or property. Notwithstanding the existence of specific air quality standards or emission limits, this prohibition applies, but is not limited to, any particulate, fume, gas, mist, odor, smoke, vapor, pollen, toxic or deleterious emission, either alone or in combination with others.

**Condition 8: Compliance Demonstration** 

Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.4 (a)

#### Item 8.1:

The Compliance Demonstration activity will be performed for the Facility.

## Item 8.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow emissions to the outdoor atmosphere having a six-minute average opacity of 10 percent or greater from any cremation unit. The Department reserves the right to perform or require the performance of a Method 9 opacity evaluation at any time during facility operation.

Parameter Monitored: OPACITY Upper Permit Limit: 10 percent

Reference Test Method: EPA Reference Test Method 9

Monitoring Frequency: WHEN THE SOURCE IS OPERATING Averaging Method: 6-MINUTE AVERAGE (METHOD 9)

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

**Condition 9: Compliance Demonstration** 

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 219-4.4 (b)

Item 9.1:



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

The Compliance Demonstration activity will be performed for the Facility.

#### Item 9.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

The owner or operator of a cremation unit must maintain a one-hour average temperature of at least 1600 degrees Fahrenheit in the secondary combustion chamber, with a minimum residence time for combustion gases of at least one second, at all times remains are being cremated.

The owner or operator of a cremation unit must install, operate, calibrate, and maintain, in accordance with manufacturer's instructions, instruments for continuously monitoring and recording the secondary chamber combustion temperature.

Parameter Monitored: TEMPERATURE

Lower Permit Limit: 1600 degrees Fahrenheit for at least one second

for residence time

Monitoring Frequency: CONTINUOUS Averaging Method: 1-HOUR AVERAGE

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 10: Operating Requirements - Allowed Materials

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 219-4.4 (d)

#### Item 10.1:

No person may combust materials other than human and animal remains, their associated containers, pathological waste, and incidental animal bedding in any cremation unit unless prior written authorization has been obtained from the Department.

## Condition 11: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## **Applicable State Requirement: 6 NYCRR 219-4.4 (e)**

#### Item 11.1:

The Compliance Demonstration activity will be performed for the Facility.

## Item 11.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

No person may cause or allow the combustion of human and animal remains in any cremation unit unless a cremation certification form



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

has been completed. Each cremation certification form shall contain the following information at a minimum:

- (1) The name, title, and affiliation of the person providing the remains for cremation;
- (2) An attestation signed by the person providing the remains for cremation attesting that the remains and their container do not contain materials prohibited from being combusted by 6 NYCRR Subpart 219-4;
- (3) The name and signature of the person accepting the remains for cremation; and
- (4) The date the remains were accepted for cremation.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

# Condition 12: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## **Applicable State Requirement: 6 NYCRR 219-4.5**

#### Item 12.1:

The Compliance Demonstration activity will be performed for the Facility.

### Item 12.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

6 NYCRR Part 219-4.5(a) states that upon request by the department, the owner or operator of a crematory facility must demonstrate compliance with the requirements of this Subpart by either conducting onsite testing or submitting a representative stack test for an identical unit.

The facility submitted representative stack tests for identical units. The stack test reports for the Matthews Power Pak II, the Therm-Tec S18-P6-G1, and the Therm-Tec G30 meet the department's standards for approval.

No futher reporting or recordkeeping are required.

Monitoring Frequency: SINGLE OCCURRENCE

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

# Condition 13: Operator Training and Certification Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 219-4.6 (a)



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

#### Item 13.1:

No cremation unit subject to the requirements of 6 NYCRR Subpart 219-4 is permitted to operate unless it is operated under the onsite supervision of a person possessing a valid crematory operator certification issued by the Department.

# Condition 14: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.7 (a)

#### Item 14.1:

The Compliance Demonstration activity will be performed for the Facility.

#### Item 14.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a crematory facility must inspect each cremation unit at that facility at least once per calendar year. The facility owner or operator shall perform all necessary repairs and routine maintenance in order to ensure that each cremation unit, monitoring device, and control device is operated and maintained in accordance with manufacturer's instructions.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Reporting Requirements: ANNUALLY (CALENDAR) Reports due 30 days after the reporting period. The initial report is due 1/30/2023. Subsequent reports are due every 12 calendar month(s).

# Condition 15: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.8 (a)

#### Item 15.1:

The Compliance Demonstration activity will be performed for the Facility.

## Item 15.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a crematory facility must maintain the following records at the facility for a period of at least five years:

(1) Continuous secondary chamber temperature monitoring records indicating the date and time of each cremation performed;



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

- (2) Operator training and certification records for all operators at the facility;
- (3) A record of the date, time, and cause of all malfunctions and any corrective action taken to resolve them;
- (4) A record of any maintenance performed on each cremation unit, including the annual inspection required by 6 NYCRR Section 219-4.7, and the routine replacement of parts and components; and
- (5) A copy of each cremation certification form created pursuant to 6 NYCRR Subdivision 219-4.4(e).

All records kept pursuant to this condition must be provided to the Department upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

## Condition 16: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.8 (b)

## Item 16.1:

The Compliance Demonstration activity will be performed for the Facility.

### Item 16.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a crematory facility must maintain the following records at the facility for the lifetime of each cremation unit installed at the facility:

- (1) Manufacturer's operating instructions for each cremation unit and any associated monitoring equipment or emissions controls; and
- (2) A copy of the most recent stack test submitted to the Department to demonstrate compliance with the requirements of 6 NYCRR Subpart 219-4.

Records kept pursuant to this condition must be provided to the Department upon request.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 17: Compliance Demonstration
Effective between the dates of 04/27/2022 and 04/26/2032



## **Applicable State Requirement: 6 NYCRR 219-4.9**

### Item 17.1:

The Compliance Demonstration activity will be performed for the Facility.

#### Item 17.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: RECORD KEEPING/MAINTENANCE PROCEDURES Monitoring Description:

The owner or operator of a cremation unit constructed on or before March 14, 2020 shall:

- (1) Obtain appropriate operator certifications, as described in 6 NYCRR Section 219-4.6, by March 14, 2021 for each uncertified operator at the facility;
- (2) Demonstrate compliance with the requirements of 6 NYCRR Subpart 219-4 no later than March 14, 2025. A demonstration of final compliance shall include the following information for each existing cremation unit:
- (i) An emissions testing report, as described in 6 NYCRR Section 219-4.5, indicating that each existing cremation unit meets the particulate matter emission limit specified in 6 NYCRR Subdivision 219-4.3(a);
- (ii) Documentation indicating that each existing cremation unit meets the requirements of 6 NYCRR Subpart 219-4;
- (iii) Documentation of the certification status of each operator at the facility.
- (3) The owner or operator of an existing cremation unit may submit a written request for a single extension of the deadline described in paragraph (2) above. The request shall describe in detail the circumstances necessitating the extension and shall propose a projected final compliance date. The Department, in its sole discretion, shall approve or deny the request on a case by case basis.

For existing cremation units that cannot meet the requirements of Subpart 219-4, the owner or operator shall submit a written plan to the Department that describes the proposed schedule for the replacement or removal of the affected cremation unit. Such written plan must be submitted within 60 days of the owner or operator becoming aware that the unit cannot meet the requirements of Subpart 219-4.

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION Reporting Requirements: AS REQUIRED - SEE MONITORING DESCRIPTION



### \*\*\*\* Emission Unit Level \*\*\*\*

## Condition 18: Emission Point Definition By Emission Unit Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR Subpart 201-5

### Item 18.1:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: C-R0001

Emission Point: 00001

Height (ft.): 19 Diameter (in.): 20

NYTMN (km.): 4750.953 NYTME (km.): 195.545 Building: 01

### Item 18.2:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: C-R0002

Emission Point: 00002

Height (ft.): 28 Diameter (in.): 36

NYTMN (km.): 4750.953 NYTME (km.): 195.545 Building: 01

### Item 18.3:

The following emission points are included in this permit for the cited Emission Unit:

Emission Unit: C-R0003

Emission Point: 00003

Height (ft.): 28 Diameter (in.): 28

NYTMN (km.): 4750.953 NYTME (km.): 195.545 Building: 01

## Condition 19: Process Definition By Emission Unit Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR Subpart 201-5

### Item 19.1:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: C-R0001

Process: P01 Source Classification Code: 3-15-021-01

Process Description:

For the first cremation of the day, deceased animal remains are manually placed into the primary chamber of the crematory incinerator while it is cold. The doors of the crematory incinerator are then closed. Before initial and supplementary combustion is provided by

Air Pollution Control Permit Conditions
Page 17 FINAL



the natural gas-fired burners located in the primary chamber of the crematory incinerator, the afterburner chamber is heated by the auxiliary burner to a minimum of 1600 degrees Fahrenheit. Once the material combustion is initiated, the rate of the combustion will be controlled by limiting both the combustion air and fuel supplied to the primary chamber through the primary burners. The auxiliary burner, which also fires natural gas, is installed in the secondary chamber of the crematory incinerator to facilitate complete combustion of all gaseous materials entering this chamber. Once the cremation process is complete, the remains are removed from the primary chamber of the crematory incinerator. The afterburner will be at a minimum of 1600 degrees Fahrenheit whenever deceased animals are loaded for additional cremations.

Emission Source/Control: AB001 - Control Control Type: DIRECT FLAME AFTERBURNER

Emission Source/Control: SC001 - Incinerator

Design Capacity: 200 pounds per hour

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: Crematory Waste (Including Animal Body parts and

associated animal bedding only)

## Item 19.2:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: C-R0002

Process: P02 Source Classification Code: 3-15-021-01

Process Description:

For the first cremation of the day, deceased animal remains are manually placed into the primary chamber of the crematory incinerator while it is cold. The doors of the crematory incinerator are then closed. Before initial and supplementary combustion is provided by the natural gas-fired burners located in the primary chamber of the crematory incinerator, the afterburner chamber is heated by the auxiliary burner to a minimum of 1600 degrees Fahrenheit. Once the material combustion is initiated, the rate of the combustion will be controlled by limiting both the combustion air and fuel supplied to the primary chamber through the primary burners. The auxiliary burner, which also fires natural gas, is installed in the secondary chamber of the crematory incinerator to facilitate complete combustion of all gaseous materials entering this chamber. Once the cremation process is complete, the remains are removed from the primary chamber of the crematory incinerator. The afterburner will be at a minimum of 1600 degrees Fahrenheit whenever deceased animals are loaded for additional cremations.

Emission Source/Control: AB002 - Control Control Type: DIRECT FLAME AFTERBURNER

Emission Source/Control: SC002 - Incinerator

Design Capacity: 300 pounds per hour



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: Crematory Waste (Including Animal Body parts and

associated animal bedding only)

### Item 19.3:

This permit authorizes the following regulated processes for the cited Emission Unit:

Emission Unit: C-R0003

Process: P03 Source Classification Code: 3-15-021-01

Process Description:

For the first cremation of the day, deceased animal remains are manually placed into the primary chamber of the crematory incinerator while it is cold. The doors of the crematory incinerator are then closed. Before initial and supplementary combustion is provided by the natural gas-fired burners located in the primary chamber of the crematory incinerator, the afterburner chamber is heated by the auxiliary burner to a minimum of 1600 degrees Fahrenheit. Once the material combustion is initiated, the rate of the combustion will be controlled by limiting both the combustion air and fuel supplied to the primary chamber through the primary burners. The auxiliary burner, which also fires natural gas, is installed in the secondary chamber of the crematory incinerator to facilitate complete combustion of all gaseous materials entering this chamber. Once the cremation process is complete, the remains are removed from the primary chamber of the crematory incinerator. The afterburner will be at a minimum of 1600 degrees Fahrenheit whenever deceased animals are loaded for additional cremations.

Emission Source/Control: AB003 - Control Control Type: DIRECT FLAME AFTERBURNER

Emission Source/Control: SC003 - Incinerator

Design Capacity: 340 pounds per hour

Waste Feed Method: MANUAL DIRECT FEED

Waste Type: Crematory Waste (Including Animal Body parts and

associated animal bedding only)

**Condition 20:** Compliance Demonstration

Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 219-4.3 (a)

#### Item 20.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0001

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

## Item 20.2:

Compliance Demonstration shall include the following monitoring:



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No person may cause or allow emissions of particulates into the outdoor atmosphere from an existing cremation unit in excess of 0.08 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

Compliance with this condition will be demonstrated according to the stack testing requirements outlined in 6 NYCRR Section 219-4.5.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.08 grains per dry standard cubic foot

(corrected to 7% O2)

Reference Test Method: EPA Reference Test Method 5 Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

# Condition 21: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.4 (f)

#### Item 21.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0001

## Item 21.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow human or animal remains to be charged at a crematory facility in excess of the manufacturer's rated hourly capacity of the cremation unit.

The facility owner or operator shall maintain records indicating the weight of remains charged to the cremation unit at the facility for a period of at least five years from the date of the record. Such records must be made available to the Department upon request.

Parameter Monitored: FEED RATE Upper Permit Limit: 200 pounds per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

Condition 22: Compliance Demonstration
Effective between the dates of 04/27/2022 and 04/26/2032

Applicable State Requirement: 6 NYCRR 219-4.3 (b)



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

### Item 22.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0002

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

#### Item 22.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No person may cause or allow emissions of particulates into the outdoor atmosphere from a new or modified cremation unit in excess of 0.05 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

Compliance with this condition will be demonstrated according to the stack testing requirements outlined in 6 NYCRR Section 219-4.5.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.05 grains per dry standard cubic foot

(corrected to 7% O2)

Reference Test Method: EPA Reference Test Method 5 Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

# Condition 23: Compliance Demonstration Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.4 (f)

## Item 23.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0002

#### Item 23.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow human or animal remains to be charged at a crematory facility in excess of the manufacturer's rated hourly capacity of the cremation unit.

The facility owner or operator shall maintain records indicating the weight of remains charged to the cremation unit at the facility for a period of at least five years from the date of the record. Such



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

records must be made available to the Department upon request.

Parameter Monitored: FEED RATE

Upper Permit Limit: 300 pounds per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

## **Condition 24:** Compliance Demonstration

Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.3 (b)

#### Item 24.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0003

Regulated Contaminant(s):

CAS No: 0NY075-00-0 PARTICULATES

### Item 24.2:

Compliance Demonstration shall include the following monitoring:

Monitoring Type: INTERMITTENT EMISSION TESTING

Monitoring Description:

No person may cause or allow emissions of particulates into the outdoor atmosphere from a new or modified cremation unit in excess of 0.05 grains per dry standard cubic foot of flue gas, corrected to seven percent oxygen.

Compliance with this condition will be demonstrated according to the stack testing requirements outlined in 6 NYCRR Section 219-4.5.

Parameter Monitored: PARTICULATES

Upper Permit Limit: 0.05 grains per dry standard cubic foot

(corrected to 7% O2)

Reference Test Method: EPA Reference Test Method 5 Averaging Method: Arithmetic average of stack test runs

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY

## **Condition 25:** Compliance Demonstration

Effective between the dates of 04/27/2022 and 04/26/2032

## Applicable State Requirement: 6 NYCRR 219-4.4 (f)

## Item 25.1:

The Compliance Demonstration activity will be performed for:

Emission Unit: C-R0003

## Item 25.2:

Compliance Demonstration shall include the following monitoring:



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017

Monitoring Type: MONITORING OF PROCESS OR CONTROL DEVICE PARAMETERS AS SURROGATE

Monitoring Description:

No person may cause or allow human or animal remains to be charged at a crematory facility in excess of the manufacturer's rated hourly capacity of the cremation unit.

The facility owner or operator shall maintain records indicating the weight of remains charged to the cremation unit at the facility for a period of at least five years from the date of the record. Such records must be made available to the Department upon request.

Parameter Monitored: FEED RATE Upper Permit Limit: 340 pounds per hour

Monitoring Frequency: AS REQUIRED - SEE PERMIT MONITORING DESCRIPTION

Reporting Requirements: UPON REQUEST BY REGULATORY AGENCY



Permit ID: 9-1468-00017/00004 Facility DEC ID: 9146800017