

NOTICE
 This document, the property of, prepared and issued by the architect, is submitted for the specific project named herein and the recipient by accepting this document assumes custody and agrees that this document will not be copied or reproduced in part or in whole, and any special features peculiar to this design shall not be incorporated in any other project, unless prior agreement has been obtained in writing. These documents will be returned immediately upon completion of the project or upon the request of the architect.
 This document is the exclusive property of the architect; no rights in ownership are transferable, or shall be lost by the filing of this document with any and all public authorities for the purpose of compliance with Codes and/or Ordinances, i.e. Building Permits, etc.

Buffalo Truck Center

North America Drive,
 West Seneca, NY

ISSUE:

EnSol, Inc.
 Environmental Solutions
 661 MAIN STREET
 NIAGARA FALLS, NY 14301
 PHONE (716) 285-3920
 FAX (716) 285-3928



BRIAN D. SHIAH, P.E.
 NYSPE LICENSE NO. 079072



SITE PLAN

DES: BFB DRN: BFB CHK: BBS



SA JOB #: 15070.02 DATE: JULY 2018

DRAWING #: C-01



- GENERAL NOTES:**
- TOPOGRAPHIC AND BOUNDARY SURVEY INFORMATION PROVIDED BY NIAGARA BOUNDARY & MAPPING SERVICES DATED FEBRUARY 15, 2018 PROJECT NUMBER 9865-18 SHEETS 1 AND 2. REFER TO THESE SHEETS FOR ADDITIONAL SITE DETAILS. ENSOL, INC. ASSUMES NO RESPONSIBILITY FOR ITS ACCURACY.
 - CONTRACTOR TO VERIFY ALL FIELD CONDITIONS AND UTILITY LOCATIONS PRIOR TO START OF CONSTRUCTION.
 - REFER TO ARCHITECTURAL DRAWINGS FOR BUILDING DIMENSIONS AND LAYOUT.
- CONSTRUCTION PHASING NOTES:**
- PAVED AREAS EAST OF THE "PHASE I PAVING LIMIT LINE" MAY BE CONSTRUCTED DURING A SECOND PHASE OF CONSTRUCTION.
 - STORMWATER DETENTION POND AND BIORETENTION BASIN TO BE CONSTRUCTED IN THEIR ENTIRETY DURING PHASE I.
 - SEE SHEET 10 "PHASE I SITE PLAN" FOR INTERMEDIATE GRADES AND UTILITY INFORMATION.

- ① SITE PLAN NOTES:**
- STANDARD DUTY ASPHALT
 - CONCRETE SIDEWALK
 - CONCRETE CURB
 - MATCH EXISTING PAVEMENT/CURB ELEVATION
 - ACCESSIBLE CURB RAMP
 - ACCESSIBLE PARKING/NO PARKING SIGN
 - CURB TAPER TYP.
 - ACCESSIBLE PARKING SYMBOL
 - PEDESTRIAN CROSSWALK
 - PARKING BLOCK (WHEEL STOP)
 - DIRECTIONAL SIGN
 - PYLON SIGN
 - DUMPSTER ENCLOSURE
 - CONCRETE BOLLARD
 - FLAGPOLE
 - RESERVED
 - CONCRETE APRON
 - 1,000 GALLON WASTE OIL TANK
 - 500 GALLON COOLANT TANK
 - 20,000 GALLON FUEL TANK
 - PAINTED NO PARKING AREAS

SITE PLAN REQUIREMENTS (ZONING DISTRICT M-1 MANUFACTURING)		
ITEM	REQUIRED	PROVIDED
BUILDING LOT SIZE	MINIMUM 2 ACRES	25.4 ACRES
BUILDING LOT WIDTH	150 FEET	1,760+ FEET
BUILDING LOT DEPTH	300 FEET	740+ FEET
GREEN SPACE	20% MINIMUM	27%
BUILDING COVERAGE	60% MAXIMUM	6.8%
FRONT SETBACK	50 FEET MINIMUM	175 FEET
REAR SETBACK	20 FEET MINIMUM	393 FEET
SIDE SETBACK	10 FEET MINIMUM	498 FEET
PARKING SPACES	"NEW OR USED CAR SALE" - 1 SPACE PER 700SF OF SALES AREA = 24,800SF/700SF = 35 "REPAIR GARAGE" - 3 SPACES FOR EACH SERVICE BAY = 3 X 36 = 108	125 EMPLOYEE SPACES 26 CUSTOMER SPACES (INCLUDING 4 ACCESSIBLE SPACES) 248 TRUCK/DISPLAY TRUCK SPACES 8 TRAILER SPACES

1. NUMBER OF PARKING SPACES PROVIDED DOES NOT CONSIDER PHASE II PAVEMENT AREA FUTURE USE.

- LEGEND:**
- PROPERTY LINE
 - WETLAND EXTENTS
 - PROPOSED CONCRETE
 - PROPOSED CURB
 - STONE DIAPHRAGM
 - ZONING CLASSIFICATION

NO.	REVISION	BY	DATE

X:\AAApj\Silvestri\18-0006LS - West Seneca - BTCTask 3 - Application Preparation\ACAD\18-0006-C01-Site Plan.dwg, D01, 8/17/2018 11:05:39 AM, Tabloid, 1:1

